LIGHT BOX SKETCH

FAST
STABLE
MOBILE
MODULAR

120MM Plastic / Aluminum



Silver Aluminum Material

White PVC Material



Black PVC Material

Basic Color Customized Color



LIGHT BOX COUNTER



Horizontal Profile x 2
Vertical Profile x 2
Counter Top x 1
Corner Part x 2
Base Foot x 2
Bag x 1

LT-PLF120-A 1000X1000mm

Horizontal Profile x 2
Vertical Profile x 4
Support Pole x 1
Corner Part x 2
Connector Part x 2
Base Foot x 2
Bag x 1

LT-PLF120 1000X2000mm

LIGHT BOX



Horizontal Profile x 2
Vertical Profile x 4
Support Pole x 1
Corner Part x 2
Connector Part x 2
Base Foot x 2
Bag x 1

LT-PLF120 1000X2000mm

850×1000
(light box)

1000×1000
(light box)

1000×1000
(light box counter)

850×1500 850×2000 850×2250 850×2500 1000×2500 1000×2250 1000×2000 1000×1500

850+850 Combination

850+1000 Combination

1000+1000 Combination

	LT-PLF120-A(counter) 1000x1000cm	LT-PLF120 850x1000cm	LT-PLF120 1000x1000cm
Packing Size:	1070x190x420mm	1020x160x470mm	1020x160x470mm
PC/CTN:	1CTN	1CTN	1CTN
N.W.:	7.9kgs	8.4kgs	8.8kgs
G.W.:	10.2kgs	10.7kgs	11.1kgs

	850×1500	850×2000	850×2250	850×2500	1000×1500	1000×2000	1000×2250	1000×2500
Packing Size:	1020x160 x470mm	1020x160 x470mm	1270x160 x470mm	1270x160 x470mm	1020x160 x470mm	1020x160 x470mm	1270x160 x470mm	1270x160 x470mm
PC/CTN:	1CTN	1CTN	1CTN	1CTN	1CTN	1CTN	1CTN	1CTN
N.W.:	10.2kgs	11.7kgs	12.4kgs	13.2kgs	10.6kgs	12.1kgs	12.8kgs	13.6kgs
G.W.:	12.5kgs	14.0kgs	15.3kgs	16.1kgs	12.9kgs	14.4kgs	15.7kgs	16.5kgs

	850×1500	850×2000	850×2250	850×2500	1000×1500	1000×2000	1000×2250	1000×2500
Packing Size:	1050x160 x520mm	1050x160 x520mm	1270x160 x520mm	1270x160 x520mm	1050x160 x520mm	1050x160 x520mm	1270x160 x520mm	1270x160 x520mm
PC/CTN:	1CTN	1CTN	1CTN	1CTN	1CTN	1CTN	1CTN	1CTN
N.W.:	9.9kgs	11.4kgs	12.2kgs	12.9kgs	10.4kgs	11.9kgs	12.6kgs	13.4kgs
G.W.:	12.5kgs	14.0kgs	15.4kgs	16.1kgs	13.0kgs	14.5kgs	15.8kgs	16.6kgs

LIGHT BOX



Horizontal Profile x 4
Vertical Profile x 4
Support Pole x 4
Corner Part x 2
Connector Part x 3
Cross Part x 1
Big Base Foot x 2
Small Base Foot × 1
Bag x 1

LT-PLF120 2000X2000mm



Horizontal Profile x 6
Vertical Profile x 4
Support Pole x 7
Corner Part x 2
Connector Part x 4
Cross Part x 2
Big Base Foot x 2
Small Base Foot x 2
Bag x 1

LT-PLF120 3000X2000mm



Horizontal Profile x 12
Vertical Profile x 4
Support Pole x 16
Corner Part x 2
Connector Part x 7
Cross Part x 5
Big Base Foot x 3
Small Base Foot x 4
Bag x 3

LT-PLF120 6000X2000mm



2000×2000 2000×2250 2000×2500

3000×2000 3000×2250 3000×2500

6000×2000 6000×2250 6000×2500

	2000×2000	2000×2250	2000×2500
Packing Size:	1020x210x470mm	1270x210x470mm	1270x210x470mm
PC/CTN:	1CTN	1CTN	1CTN
N.W.:	17.1kgs	17.9kgs	18.7kgs
G.W.:	20.1kgs	21.7kgs	22.5kgs

	3000×2000	3000×2250	3000×2500
Packing Size:	1020x255x470mm	1270x255x470mm	1270x255x470mm
PC/CTN:	1CTN	1CTN	1CTN
N.W.:	21.3kgs	22.2kgs	23.0kgs
G.W.:	25.0kgs	26.7kgs	27.5kgs

Tip:More other sizes are available.

	6000×2000	6000×2250	6000×2500
Packing Size:	1020x255x470mm 1020x210x470mm	1270x255x470mm 1270x210x470mm	1270x255x470mm 1270x210x470mm
PC/CTN:	2CTNS	2CTNS	2CTNS
N.W.:	36.2kgs	37.2kgs	38.0kgs
G.W.:	42.9kgs	45.5kgs	46.3kgs

Tip:Same size with different combination!





Accessory Part Detail

Standard Accessories

Horizontal Profile

Vertical Profile

Support Pole

Corner Part

Double-ended Wire

Cross Part

Base Foot-1
(Using For Standard Size)

Base Foot-2
(Using For Big Size)

Base Foot-3
(Using For Modularization)

Base Foot-4
(Using For Big Size)

Transformer

Functional Accessories

Module Joint

Multi-angle Part -30°

Multi-angle Part -60°

Brackets with Shelf

Brackets with Rail

Monitor Holder

Tip:More multi-angle sizes
(30°/45°/60°/75°/90°)
with the same structure.

Packaging Detail

(Note: All packaging sizes shown in this cataluge is filled with normal nylon bag, not trolley bag.)

EPE Foam Filled

Standard Nylon Bag

Premium Trolley Bag

Standard Booth Style

Multi-angle Booth Style

Combined Booth Style



LIGHT BOX SKETCH

- New Style
- Upgrade Design
- More Fashion

Inserted Feet *Rotated Feet*

Two Options For Feet

Hidden Wire

Support Pole

Self-locking Connector

Rotated Feet

60MM ALUMINUM

VERTICAL SINGLE-SIDED LIGHT BOX

- FAST
- STABLE
- MOBILE
- MODULAR

SEG Frame sturcture

Aluminum base is optional

Description:

The 60mm aluminum light box is single sided design .
It can be used as wall amount design and free standing design .
The LED lights are fixed on the backside fabric which can be folded like curtain .
Quite easy for packing and transportation .

Product size	850*2000mm
Packing size	
PC/CTN	1PC/CTN
N.W.	
G.W.	6.84kgs

Magnetic Combination



Description

The standard 60/85mm light box can be combined with magnetic . It is more convenient and stable to combine the multi-single light box to be large background. The joint line is extremely neat and non-visible

Best Choice for Large Background

WALL MOUNTED LIGHT BOX



Hidden wire

Tool free assemble design



The wall mounted light box is made of 60mm aluminum material. It can be made many sizes to suitable for different occasions.The back black-out fabric can be folded for packing . The lights are all pre-assembled on the black out fabric .

Led strip	24V
Luminous flux	1900 for upper, middle and lower
P/ V	24V/15W、24V/32W、24V/72W、24V/80W
Hardware size(W*H) : (Recommended)	
600*600mm	
850*850/1000/1200/1500/1800/2000mm	
1000*1000/1200/1500/1800/2000mm	
1200*/1200/1500/1800/2000/2400mm	

HANGING & CEILING LIGHT BOX



Fittings are same as the wall mounted light box, only with its specific connectors & string for ceiling and hanging.



SEG Frame sturcture



CEILING DEVICE

DYNAMIC LIGHT BOX

Description :

The dynamic light box is upgrade from static display of single side backlit light to dynamic animation display . It is more vivid and easy eye catching when advertising . Animation can be programmed and replace, internal memory card can store multiple animation programs,animation can be switched according to different scenes.

CHOOSE "DANCING" LIGHT BOX , CHOOSE OUTSTANDING!

DYNAMIC LIGHT BOX

Product basic parameters:

Aluminum profile
Width85mm,thickness1.2mm

Light panels
Light panel size：795*388 mm
light Panel Input 24V
Adaptor input：100～240V

Light box size (mm)	Light panel Qty(pcs)	Packing size(mm) L*W*H	N.W.(kg)	G.W.(kg)	Max.power (w)	Remark
850x2000	5	1120x470x2000	15.4	21.7	180	The maximum power occurs when the light panels are fully powered on. Generally, the power is about 20%-60% of the maximumu power when the animation is in normal operation
850x1610	4		12.8	19.1	144	
850x1220	3		10.2	16.5	108	
850x830	2	945x470x200	7.6	13.9	72	